



Daksh Prajapat[®]
TILES WORKS

a step ahead...

COMPANY PROFILE

From conception of design to shipping, quality control in all aspects
Easy and efficient installations for maximum satisfaction.

Well-known across the globe for manufacturing and exporting terracotta tiles, Daksh Prajapat Tile Works is synonymous with quality. A proud “Made In India” company, our traditional designs are embedded into modern manufacturing practices. We manufacture an array of terracotta tiles, such as decorative tiles, jaali tiles, and roofing tiles.

We harbour more than six decades of experience, and this has consequently led to a customer base that consistently asks for OUR TERRACOTTA PRODUCTS in the market.

From conception to design, each tile is created with love and care. We ensure quality control in every aspect of the manufacturing and shipping process.





Our story began in the 1960s, when I dreamed of building a fully-functioning natural clay tile manufacturing unit. This dream turned into reality when I had the courage to venture into this industry with a mere 5 years of experience. Despite the initial hiccups, I built a company from the ground up that has slowly become a global market leader in terracotta tiles manufacturing and exporting.

In the beginning, my team of artisans and I spent almost 16 hours each day to make this business a success. We started with just one single unit. With perseverance and immense determination, we created an efficient chain of production in those years.

In 1994 came a big recession that forced almost all of our competitors to close their doors. We came within an inch of shutting down the business, but against all odds, we stayed afloat and continued making a name for ourselves in this industry. Confidence, grit and hard work are the only things that have made us a force to reckon with.

In the initial years, the Daksh Prajapat Tile Works catalog had only six designs. Despite this number, clients continued to purchase terracotta tiles from us in all these designs. Over time, we have created the perfect balance of creativity and technical expertise to expand to over many designs in our catalog. Our in-depth knowledge of how natural clay can be moulded into long-term sustainable products has allowed us to assist designers to take any structure to the next level in terms of comfort and design.

State of the art, advanced machinery in our manufacturing units allows us to handle any and every amount of production volume. Our clients only get the best and the highest quality products delivered to them. World-class products are a hallmark of Daksh Prajapat Tile Works.

Ratibhai A. Prajapati.
(Founder : Daksh Prajapat Tiles Works)


Terracotta Products Made With 100% Natural Clay

You heard that right! Our products are made with 100% natural clay. This clay is sourced directly by our artisans who have years of experience in creating high-quality products. Our earthenware products are built to last and contain no binding agents. We remain 100% true to our promise of offering authentic natural clay products.



The King of Roofing Tiles

CERTIFICATE



**We Export To 15+ Countries
Across The Globe.**



**Conquering The World,
One Terracotta Product At A Time.**

QUALITY

ROOF TILES FOR STYLISH LIVING



Benefits of clay Roofings

The Benefits of Tile Roofing

Clay roof tiling can provide homeowners with a durable and aesthetically pleasant exterior. Some clay roofs can last for a century, and many require only a minimal amount of maintenance.

That makes clay a viable option compared to similar materials like terra cotta, fired clay, molded concrete, or slate.

Clay tile roofs have many attractive characteristics and properties including:

1. Longevity

Clay roof tiles have a longer lifespan than many other materials. These roofs can have a service life of as long as a hundred years. Even on the low end, you can expect at least 50 years out of a clay tile roof. This is because the tiles are built to be nearly indestructible and resistant to the corrosive elements.

2. Low Maintenance

Compared to other roofing materials, clay tiles require less maintenance, which can lower the total cost of ownership. The most common type of roof material is traditional tiles.

3. Durability

Clay tiles do not rot and they're fire and insect-resistant. This durability makes them not only structurally reliable but attractive for many years to come.

4. Weather resistance

Other materials expand and contract to a greater degree when extreme conditions occur. In contrast, clay maintains the roof's integrity by withstanding the most extreme hot and cold weather events. They are also able to resist the harmful ultraviolet radiation from the sun.

Compared to asphalt tiles, they provide:

- * **Better solar reflectiveness -**

Unglazed, red terra cotta is the most reflective type of clay tile roofing. It reflects around 33% of all sun rays. A typical asphalt roof will only reflect 5 - 15% of those rays.

- * **Higher thermal mass -**

What this boils down to is clay tiles are capable of dispersing heat at night, instead of releasing all the heat during the daytime and potentially overheating the home. This works hand in hand with the better insulation properties to give your home better energy efficiency.

5. Insulation

Air freely circulates beneath these tiles, which regulates rooftop temperatures, helping maintain temperatures inside the home.

6. Aesthetics

The style for clay tile roofs is inspired by Spanish and Mediterranean designs. This appearance complements a variety of sidings. For example, a clay tile roof can enhance the look of brick or stone sidings, making it compatible with the most trending design styles for homes.

Traditional Tiles

Traditional Terracotta Tiles are often used in roofing and have a simple, but effective design to enhance the quality of your structure.

Tailor Tiles

Tailor Tiles have a simple, yet effective design. These tiles can elevate the overall look and build for any project.

Decorative Tiles

Our Roofing Tiles are specially crafted to be weather resistant and are available in numerous designs so you can choose something that works for you.

Ceiling Tiles

Ceiling Tiles are designed to give any room a stylish look while also keeping it insulated and are traditionally used under a fabricated roof or roofing tiles.

Elevation Bricks

Efficient and strong, our Elevation Bricks can be a great addition if you are designing a rustic or modern structure.

Flooring Tiles

It can be used in a variety of rooms in the home, including the kitchen, living room, bedroom & in the outdoors too.

Terracotta Jaali

Our most loved tiles are the Terracotta Jaali designs, available in over 15+ designs. These tiles are decorative tiles, which give any room an air of authenticity and elegance.

Accessories

Accessories Tiles can be used throughout the roofing structure and in combination with any of our other tiles.



Traditional Tiles

These Clay tiles are extremely durable and can last for centuries, even in harsh weather conditions. They are also resistant to fire, rot and pests. These tiles have excellent thermal mass, which means they can absorb and store heat during the day and release it at night. This helps to keep your home cooler in the summer and warmer in the winter, reducing your energy bills.


Suitability

Metal Fabricated / Concrete Pitch Roof (Slab) & Cement Sheet .





01 (381mm x 229mm)
Single Groove
Size : 15"x9" (381mm x 229mm)
Per 100 Sq. Ft. 150 Nos
1 Sqm. = 16.2 Nos
Weight Kg/Pc : 2.3



02 (407mm x 254mm)
Double Groove
Size : 16"x10"
Per 100 Sq. Ft. 120 Nos
1 Sqm. = 13 Nos
Weight Kg/Pc : 2.8



03 (229mm x 153mm)
Medium Roofing
Size : 9"x6"
Per 100 Sq. Ft. 330 Nos
1 Sqm. = 36 Nos
Weight Kg/Pc : 0.750



04 (204mm x 127mm)
Mini Roofing
Size : 8"x5"
Per 100 Sq. Ft. 500 Nos
1 Sqm. = 54 Nos
Weight Kg/Pc : 0.550



05 (305mm x 127mm x 102mm)
Country Tiles (Desi Naar)
Size : 12"x5"x4"
Per 100 Sq. Ft. 500 Nos
1 Sqm. = 54 Nos
Weight Kg/Pc : 1




Tailor Tiles

Tailor tiles are made to fit the exact dimensions of your roof, which ensures a perfect fit. This can help to prevent leaks and other problems. This Tiles can be customized to match the existing architectural style of your home, which can help to improve its overall appearance.


Suitability

Metal Fabricated / Concrete Pitch Roof (Slab) & Cement Sheet.






8 (178mm x 127mm)
Mini Tailor
Size : 7"x5"
Per 100 Sq. Ft. 625 Nos
1 Sqm. = 68 Nos
Weight Kg/Pc : 0.500



9 (178mm x 127mm)
Mini Italian Tailor
Size : 7"x5"
Per 100 Sq. Ft. 625 Nos
1 Sqm. = 68 Nos
Weight Kg/Pc : 0.500



10 (229mm x 178mm)
Medium Tailor
Size : 9"x7"
Per 100 Sq. Ft. 300 Nos
1 Sqm. = 33 Nos
Weight Kg/Pc : 0.950



11 (229mm x 178mm)
Medium Italian Tailor
Size : 9"x7"
Per 100 Sq. Ft. 300 Nos
1 Sqm. = 33 Nos
Weight Kg/Pc : 0.950





12 (254mm x 204mm)
10X8 Tailor
Size : 10"x8"
Per 100 Sq. Ft. 270 Nos
1 Sqm. = 30 Nos
Weight Kg/Pc : 1.3



13 (305mm x 204mm)
12X8 Tailor
Size : 12"x8"
Per 100 Sq. Ft. 240 Nos
1 Sqm. = 26 Nos
Weight Kg/Pc : 1.6



14 (407mm x 254mm)
16x10 Tailor
Size : 16"x10"
Per 100 Sq. Ft. 90 Nos
1 Sqm. = 10 Nos
Weight Kg/Pc : 2.8



15 (458mm x 254mm)
Portuguese Tiles
Size : 18"x10"
Per 100 Sq. Ft. 112 Nos
1 Sqm. = 12 Nos
Weight Kg/Pc : 3.5





Decorative Tiles

Decorative tiles are a popular choice for balconies because of their warm and earthy color. They can be used to create a rustic or Mediterranean look.

Suitability

Concrete Pitch Roof (Slab) & Cement Sheet.






18 (204mm x 102mm)
Double Channel
Size : 8"x4"
Per 100 Sq. Ft. 450 Nos
1 Sqm. = 49 Nos
Weight Kg/Pc : 0.550




19 (204mm x 102mm)
Rajwadi Channel
Size : 8"x4"
Per 100 Sq. Ft. 450 Nos
1 Sqm. = 49 Nos
Weight Kg/Pc : 0.550



20 (204mm x 102mm)
White House
Size : 8"x4"
Per 100 Sq. Ft. 450 Nos
1 Sqm. = 49 Nos
Weight Kg/Pc : 0.550




21 (204mm x 127mm)
Rajwadi Round Channel
Size : 8"x5"
Per 100 Sq. Ft. 360 Nos
1 Sqm. = 39 Nos
Weight Kg/Pc : 0.650




22 (204mm x 127mm)
Triple Rajwadi
Size : 8"x5"
Per 100 Sq. Ft. 360 Nos
1 Sqm. = 39 Nos
Weight Kg/Pc : 0.650






23 (204mm x 127mm)
Triple Channel
Size : 8"x5"
Per 100 Sq. Ft. 360 Nos
1 Sqm. = 39 Nos
Weight Kg/Pc : 0.650



24 (204mm x 127mm)
Royal Channel
Size : 8"x5"
Per 100 Sq. Ft. 360 Nos
1 Sqm. = 39 Nos
Weight Kg/Pc : 0.650



25 (204mm x 127mm)
Round Channel
Size : 8"x5"
Per 100 Sq. Ft. 360 Nos
1 Sqm. = 39 Nos
Weight Kg/Pc : 0.650



26 (229mm x 153mm)
Four Rajwadi
Size : 9"x6"
Per 100 Sq. Ft. 270 Nos
1 Sqm. = 30 Nos
Weight Kg/Pc : 0.800



Ceiling Tiles

The Clay Ceiling tiles are tiles used under roofing tiles of a fabricated roof to have additional thermal insulation, waterproofing and aesthetic appeal. Multiple designs are available to match with interior design. Terracotta ceiling tiles are also known as bottom tiles for roofing. The advantage of using ceiling and roof tiles is the feasibility of fixing both on the same pulings.

Advantages Of Using Ceiling Tiles

Improved thermal comfort, as it acts as an additional insulator after roof tiles. Ceiling Tiles Provide Better aesthetic appeal for the interior ceiling to match the interior theme. Ceiling Tiles can cover in any underlay sheets used under roof tiles for additional water-tightness.

Suitability

Metal Fabricated.





28 (305mm x 204mm)

Flower Ceiling

Size : 12"x8"

Per 100 Sq. Ft. 150 Nos

1 Sqm. = 16.2 Nos

Weight Kg/Pc : 2



29 (305mm x 204mm)


Oval Ceiling

Size : 12"x8"

Per 100 Sq. Ft. 150 Nos

1 Sqm. = 16.2 Nos

Weight Kg/Pc : 2



Elevation Bricks

Terracotta wall bricks are a type of brick that is made from fired clay. They are available in a variety of textures, and they can be used to create a variety of different looks for your walls. Terracotta wall bricks are a popular choice for both indoor and outdoor use.

Suitability

Best For Indoor And Outdoor Walls Attached With Our Terracotta Adhesive.





31 (229mm x 77mm)

Facing Bricks

Size : 9"x3"

Per 100 Sq. Ft. 540 Nos

1 Sqm. = 59 Nos

Weight Kg/Pc : 0.400



32 (229mm x 77mm)

Elevation Bricks

Size : 9"x3"

Per 100 Sq. Ft. 540 Nos

1 Sqm. = 59 Nos

Weight Kg/Pc : 0.400



33 (229mm x 77mm)


Wooden Structure

Size : 9"x3"

Per 100 Sq. Ft. 540 Nos

1 Sqm. = 59 Nos

Weight Kg/Pc : 0.400



34 (229mm x 77mm)

Random Rustic

Size : 9"x3"

Per 100 Sq. Ft. 540 Nos

1 Sqm. = 59 Nos

Weight Kg/Pc : 0.400



Terracotta Floor Tiles

It can be used in a variety of rooms including the kitchen, living room and bedroom. They are also a good choice for outdoor areas such as patios, decks and walkways. Terracotta floor tiles are a beautiful and durable choice for flooring. With proper care, they can last for many years and add a touch of rustic charm to any home.

Suitability

Best For Indoor And Outdoor Flooring For Cool Surface Attached With Our Terracotta Adhesive.





37 (153mm x 153mm)
Hexagonal Tiles

Size : 6"x6"
Per 100 Sq. Ft. 400 Nos
1 Sqm. = 44 Nos
Weight Kg/Pc : 0.600



38 (204mm x 204mm)
Terracotta Tiles

Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 1.2



39 (229mm x 229mm)
Terracotta Tiles

Size : 9"x9"
Per 100 Sq. Ft. 175 Nos
1 Sqm. = 19Nos
Weight Kg/Pc : 1.5



40 (305mm x 305mm)
Terracotta Tiles

Size : 12"x12"
Per 100 Sq. Ft. 100 Nos
1 Sqm. = 11 Nos
Weight Kg/Pc : 2.2



Terracotta Jaali


It is a type of perforated terracotta screen that is used for decorative purposes. It is a traditional Indian craft that has been used for centuries to adorn temples, mosques, palaces and other buildings. Terracotta Jaali is made by baked clay and is available in a variety of designs from simple geometric patterns to intricate floral and animal motifs.

Terracotta Jaali is often used to decorate windows and doors but it can also be used to create partitions, screens and other architectural elements. It is also a popular choice for outdoor use as it is durable and weather-resistant.

Suitability

Best For Indoor And Outdoor Areas when Attach It With Our Terracotta Adhesive And Grouts.





42 (204mm x 204mm)
Four Petal Jaali
Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



43 (204mm x 204mm)
Opal Jaali
Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



44 (204mm x 204mm)
Amber Jaali
Size : 8"x8 "
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



45 (204mm x 204mm)
Square Jaali
Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



46 (204mm x 204mm)
Pearl Jaali
Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



47 (204mm x 204mm)
Zebra Jaali
Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5





48 (204mm x 204mm)
Lotus Jaali
Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5




49 (204mm x 204mm)
Lily Jaali
Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5




50 (204mm x 204mm)
Arrow Jaali
Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



51 (204mm x 204mm)
Topaz Jaali
Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5




52 (204mm x 204mm)
Cubic Jaali
Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



53 (204mm x 204mm)
Cross Jaali
Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5






54 (204mm x 204mm)
Diamond Jaali

Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5




55 (204mm x 204mm)
Camp Jaali

Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



56 (204mm x 204mm)
Slice Jaali

Size : 8"x8"
Per 100 Sq. Ft. 225 Nos
1 Sqm. = 25 Nos
Weight Kg/Pc : 2.5



57 (305mm x 204mm)
W Jaali

Size : 12"x8"
Per 100 Sq. Ft. 150 Nos
1 Sqm. = 16.2 Nos
Weight Kg/Pc : 4.5



Accessories

Roofing tile accessories are essential components that complement and enhance the functionality of a roof. They play a crucial role in ensuring the roof's overall integrity, weatherproofing, ventilation and aesthetic appeal.

Attach It With Our Terracotta Adhesive And Grouts.





61 (204mm x 102mm)
V-Plain Ridge
Size : 8"x4"
Per 100 Rft. 200 Nos
1 Rm. = 6.6 Nos
Weight Kg/Pc : 0.600



62 (204mm x 127mm)
Round Ridge
Size : 8"x5"
Per 100 Rft. 200 Nos
1 Rm. = 6.6 Nos
Weight Kg/Pc : 650



63 (381mm x 254mm)
Roofing Ridge
Size : 15"x10"
Per 100 Rft. 100 Nos
1 Rm. = 3.3 Nos
Weight Kg/Pc : 3



64 (381mm x 229mm)
Tailor Ridge
Size : 15"x10"
Per 100 Rft. 100 Nos
1 Rm. = 3.3 Nos
Weight Kg/Pc : 2.7






65 (381mm x 229mm)

End Corner

Size : 15"x9"

Used only at end of corner for
Decorative purpose below
Roofing ridge.

Weight Kg/Pc : 3



66 (153mm x 153mm)


AC Hollow

Size : 6"x6"

Per 100 Sq. Ft. 400 Nos

1 Sqm. = 44 Nos

Weight Kg/Pc : 1.2



67

Terracotta Adhesive

20 KG BAG

Approx 50-100 Sqft Per 20 Kg Bag


As Per Usage And Product




**Any Customised Size And Dimension Of
Terracotta Product Can Be Made By Us.**

**All The Products Are Made From 100%
Natural Terracotta Red Clay.**

**All The Products Are 100%
Chemical Free And Eco-friendly.**



APPLICATION AREA



TECHNICAL SPECIFICATION





India's Largest

EXPORTER OF ROOFING TILES



**CELEBRATING
SIXTY YEARS
WITH YOU**

Daksh Prajapat Tiles Works

Opp. Hyundai Showroom, Morbi - Rajkot Highway
Morbi, Gujarat - 363641 India.

+91 954 954 1962 | +91 852 852 1962

www.dakshprajapat.com | info@dakshprajapat.com